


Midi roller blind

Roller blinds

Midi roller blind - round and square cassette



- Customization
- Cassette roller blind
- Aluminium shaft: Ø 27 mm and 32 mm
- Cover caps and end caps in white, grey or black
- Operating side right or left possible
- Operating elements in transparent, white, grey, black or nickel
- Powder-coated aluminium cassette and end profile (white RAL 9016, grey RAL 9006 or black RAL 9005)
- Clip fixation
- Side guiding (Tensioning wire and profile guidance) available

RANGE OF SIZES

Min. width	40 cm
Max. width	220 cm*
Max. height	230 cm*
Max. area	ca. 5 m ²


* depending on fabric

Site measuring Midi roller blind - cassette

Site measuring





Rope guidance




Assembly types Midi roller blind - cassette

Wall / ceiling fixation - round cassette



Round cassette



Window sash fixation with profile block holder



Square cassette




Midi roller blind

Roller blinds

Side guidance, closing profile Midi roller blind - cassette




Only in connection with chain or motor operation!



Profile guidance, one-piece



Maximum height is 2 m.




Predrilling offered for an extra charge.

Profile guidance, two pieces



Square cassettes with side guidance "two pieces" are only offered for ceiling fixation. Not offered for motor operation.



Predrilling offered for an extra charge.

Brush offered for an extra charge.






Please avoid draught or low pressure to prevent that the fabric is pulled out of the profile guidance.

Midi roller blind

Roller blinds




Central profile

Predrilling of profiles offered for an extra charge



Closing profile





Predrilling of profiles offered for an extra charge



Midi roller blind

Roller blinds

Parts Midi roller blind - cassette








Cropped fixing clip with oval hole

Standard, for bracket profile and cassette, metal, available in white, silver and black

Wall fixing brackets 60-108 mm

For bracket profile and cassette, metal, available in white, silver and black





Wall fixing brackets 33 mm

For recess and wall fixation, bracket profile and cassette, metal-aluminium, available in white, silver and black

Profile block holder

Clamping range 5-25 mm, bracket profile and cassette, made of synthetic-metal, available in white-white, grey-silver, black-black



Block holder for rope guidance

Clamping range 5-25 mm, Basis, bracket profile and cassette, made of synthetic-metal, available in white-silver, grey-silver, black-silver